



Web Images Groups News Froogle Local^{New!} [more »](#)

issuer "level of trust"

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about 5,330 for **issuer "level of trust"**. (0.16 seconds)

Hierarchy of Trust (Windows CE .NET Application Development)

... certificates to be effective, users of certificates must have a high **level of trust** in them. There are cases where a user does not trust the **issuer** of a ...

msdn.microsoft.com/library/en-us/wccryp2/html/ceconHierarchyofTrust.asp - 13k - [Cached](#) - [Similar pages](#)

Certificate comparisons

... the verifier (what X.509 calls the Relying Party) sets the **level of trust** in keys ... identified by an arbitrary local name, meaningful only to the **issuer** of the ...

world.std.com/~cme/html/web.html - 14k - [Cached](#) - [Similar pages](#)

ClickOnce and Trusted Application Deployment

... Once the client machine knows who the trust-license **issuer** is, then the ClickOnce application can be configured for a higher **level of trust**. ...

geekswithblogs.net/jglynn/archive/2004/08/05/9360.aspx - 12k - [Cached](#) - [Similar pages](#)

Out on a loop

... CRL limitations, cert class, insurance coverage, etc.) and, (1.ii) the verifier acquires a qualitative **level of trust** on the root-key's **issuer** and its ...

www.sandelman.ottawa.on.ca/spki/html/1997/fall/msg00183.html - 15k - [Cached](#) - [Similar pages](#)

AspEncrypt.com - Crypto 101: Digital Certificates

... **Issuer** is the name of the CA. ... In order for digital certificates to be effective, the users of the network must have a high **level of trust** in the certificate. ...

www.aspencrypt.com/crypto101_certs.html - 15k - [Cached](#) - [Similar pages](#)

Papers: Building Your Appropriate Certificate-based Trust ...

... and found that what they really need is a Certificate **Issuer**, not a CA ... You set your own **level of trust** needed when generating certificates with your own CI for ...

www.itsecurity.com/papers/rainbow1.htm - 30k - Feb 12, 2005 - [Cached](#) - [Similar pages](#)

Smart Card Developer's Kit: Smart Cards and Security

... It is through the actions of the **issuer** that various parties of a subsequent transaction can achieve some **level of trust** in the transaction, although they do ...

unix.be.eu.org/docs/smart-card-developer-kit/ch09/206-208.html - 8k - [Cached](#) - [Similar pages](#)

Security Overview: Apple CDSA Plug-ins

... the purpose of establishing a **level of trust** for a certificate is to answer the question "Should I trust this certificate for this action?". The **issuer** of a ...

[developer.apple.com/documentation/Security/](http://developer.apple.com/documentation/Security/Conceptual/Security_Overview/Architecture/chapter_2_section_4.html)

Conceptual/Security_Overview/Architecture/chapter_2_section_4.html - 21k - [Cached](#) - [Similar pages](#)

Security Overview: Digital Certificates

... any number of intermediate certificates, but in Figure 2-5 the **issuer** of the CA ... known as certificate extensions) are said to establish a **level of trust** for a ...

[developer.apple.com/documentation/Security/](http://developer.apple.com/documentation/Security/Conceptual/Security_Overview/Concepts/chapter_3_section_7.html)

Conceptual/Security_Overview/Concepts/chapter_3_section_7.html - 20k - [Cached](#) - [Similar pages](#)

[[More results from developer.apple.com](#)]

What is Secure Socket Layer (SSL)?: WebSphere Application Server

... in order to properly configure and to therefore achieve the desired **level of trust**

and privacy for ... DN of the **issuer** of the certificate (for example, of the CA ...
publib.boulder.ibm.com/infocenter/ws40help/topic/com.ibm.websphere.v4.doc/wasa_content/001810.html - 10k -
[Cached](#) - [Similar pages](#)

Goooooooooooooogle ►

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

 Free! [Google Desktop Search](#): Search your own computer.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	3	713/166.ccls. and 713/156-158,175. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 14:03
L4	1474	level and certificate and issuer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 14:04
L5	71	"713"/\$.ccls. and certificate and (issuer same level)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 14:04
L6	13	"713"/\$.ccls. and certificate and (issuer same level same trust)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 14:22
L8	19	"713"/\$.ccls. and certificate and (CA same (level adj trust))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 14:42
L9	28	"713"/\$.ccls. and certificate and (web adj trust)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 14:51
L10	48	(level adj trust) and (web adj trust)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 16:00
L11	3	713/202.ccls. and (assign adj password)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 16:03
L12	22	713/202.ccls. and (create adj password)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 16:03